



Adam Tas Corridor Energy

SPF gigabit single-mode optical module 40km





SPF gigabit single-mode optical module 40km



10GE SFP+ Optical Modules

If the SFP-10G-ER-1310 is connected to a 10Gbase-ER standard optical module (1550nm, 10GE, 40km), the maximum transmission distance is only 20km due to different specifications such as wavelength

SFP Transceiver

The 1000BASELX SM SFP 40KM is a Gigabit single-mode SFP (mini-GBIC) transceiver with an LC style connector. Operating at a 1310nm wavelength, it supports 1000BaseLX Ethernet over single-mode



Data Center Transceivers & Cables


Arista's transceivers and cables offer customers a wide variety of connectivity options over copper or fiber for data center and HPC environments.

10G SFP+ ER SMF 1310nm 40km Transceiver Module

Buy 10Gb/s SFP+ ER SMF 1310nm 40km Optical Transceiver Manufacturer at Affordable Factory



Price,5-Year Warranty & Money-back Guarantee.




40KM 1550nm Single Mode Duplex Gigabit Optical Module LC/SC

The SFP transceivers are high performance, cost effective modules supporting dual data-rate of 1.25Gbps/1.0625Gbps and 40km transmission distance with SMF.The transceiver consists of three

SFP+ Single Mode LC Module (40km)

SFP+ Single Mode LC Module (40km)
TEG-10GBS40 (Version v2.0R) Transmission distance of up to 40km (24.9 mi.) Duplex LC optical interface Supports data rates



10 Gigabit Ethernet

10 Gigabit Ethernet Router with two dozen 10 Gigabit Ethernet ports and three types of physical-layer module 10 Gigabit Ethernet (10GE, 10GbE, or 10 GigE) is a



10GE SFP+ Optical Modules

OMXD30000 OSX010000 OSX040N01
OSXD22N00 SFP-10G-BXD1 SFP-10G-BXU1
SFP-10G-ER-1310 SFP-10G-ER-SM1270-BIDI
SFP-10G-ER-SM1330-BIDI SFP-10G-LR-I SFP-10G-
USR SFP-10G



1G 1310nm 40km SFP EX Transceiver Module

Generic SFP-1G-EX Compatible 1000BASE-EX SFP Transceiver Module (SMF, 1310nm, 40km, LC, DOM) This Generic SFP-1G-EX compatible SFP module

1G 1310nm 40km SFP EX Transceiver Module

This Generic SFP-1G-EX compatible SFP module supports 1000BASE-EX Gigabit Ethernet connectivity and 1G fiber channel application. Featuring 1310nm



Cisco SFP Modules for Gigabit Ethernet Applications

This data sheet describes the benefits, specifications, and ordering information for the Cisco SFP Modules for Gigabit Ethernet Applications.



SFP Optical Module, 1Gb, LC SM, 40km, TX:1310nm

Insert type SFP (miniGBIC) designed for transmission of double (duplex) single-mode fiber (SM) over a distance of 40km. TX wavelength 1310nm. All products'



SFP Modul - 1,25 Gb/s, Singlemode, 40 km, LC Duplex

Dieses SFP Modul ist für Langstreckenverbindungen optimiert und unterstützt den Standard 1000BASE-EX. Mit bis zu 40 km Reichweite über Singlemode-Fasern eignet es sich ideal für Backbone

1000BASE-EX SFP 1310nm 40km Transceiver Datasheet , FS

Description The SFP1G-LH-31 series single-mode transceivers are small form factor pluggable module for bi-directional serial optical data communications such as Gigabit Ethernet 1000BASE-LX and





Optic Modules Datasheet

4 Optic Modules Data Sheet SFP (form factor) = small form-factor pluggable transceiver SMF (media) = single-mode fiber-optic MMF (media) = multimode fiber-optic XFP (form factor) = 10-gigabit small



10G Base ER SFP+ Transceiver , 40km SMF , 1550nm

Our 10G Base ER SFP+ transceiver extends 10 Gigabit Ethernet connectivity up to 40km over single-mode fiber for long-haul applications. Utilizing 1550nm



SFP Single Mode LC Module (40km)

TRENDnet's SFP Single Mode LC Modules are compatible with standard SFP slots found on network switches and fiber converters. Each single mode SFP

SFP 1GE/FC SM 1310nm 40km 22dB LC

SO-SFP-1000BASE-L40D is a 1310nm SFP transceiver for SingleMode fiber for Gigabit Ethernet (GbE) and 1G Fiber Channel (1G FC) services. The optical performance provides a bridgeable distance of



Huawei Technical Support

This document provides technical details about 1Gbps eSFP Optical Modules, including specifications and support information.

1000BASE-EX SFP 1310nm 40km Transceiver Datasheet , FS

The SFP1G-LH-31 series single-mode transceivers are small form factor pluggable module for bi-directional serial optical data communications such as Gigabit Ethernet 1000BASE-LX and Fiber



SFP Single Mode LC Module (40km)

SFP Single Mode LC Module (40km) TEG-MGBS40 (Version V5) Transmission distance of up to 40km (24.85 mi.) Duplex LC optical interface Supports data



Contact Us

For datasheets, pricing, or custom telecom energy solutions, please visit:
<https://koskolong.co.za>