



Adam Tas Corridor Energy

Two core switches are configured





Overview

Yes, it is possible to have two core switches with the same SVIs (Switched Virtual Interfaces) configured. I want to take down the old core later on but will gradually transfer the connected devices from old to the new core one at a time. I'm working on a setup with two core switches (Core 1 and Core 2) running MLAG for redundancy and load balancing, and I've hit a weird problem with STP and MAC addresses.



Two core switches are configured


Doubt about EAPS topology with 2 core switches



Hello guys! I'm in a scenario (in the attached draw) with 7 switches, where 2 of them are cores X460, and the 5 others are edges X440. We have

Exam HPE6-A73 topic 1 question 61 discussion

Two AOS-CX switches are configured for VSX at the access layer, where servers attached to them. An SVI interface is configured for VLAN 10 and



Solved: interconnecting two core switches


Yes, I'm connecting a pair of switches configured in VSS mode to another pair of switches configured in VSS mode. I need to establish connection between these switches for routing

Solved: interconnecting two core switches

Solved: Hi all, I need to connect two Cisco C4500X, using a 1000BaseLH transceiver. Each



core switch manage its own VLANs. I just need to connect the two core switches and use this



- ✓ TELECOM CABINET
- ✓ BRAND NEW ORIGINAL
- ✓ HIGH-EFFICIENCY

Understanding Core Switch: What It Is and How to

In the realm of system networking, three key types of switches are frequently mentioned: access switches, aggregation switches, and core switches.

Connecting a XG430 to two core switches (both are

Succeeding ports on the core switches from port 13 to port 22 are also configure as trunk (two ports on each trunk) for access switches. All VLANs are also tagged




Two-Tier Core

Configure Two-Tier core switches as a VSX pair for Layer 2 aggregation of the data center access switches, IP data center services, and routing to the main campus.



Understanding the Core Switch: Key Differences and Uses

Explore the core switch's role as the backbone of your network. Discover key differences, uses, and insights into layer 3 core switch technology.



What is optimal way to connect two core switch/routers

We have two 4507s at our core, running HSRP. We have three other 4507s at the edge, plus eight 2950s. All edge switches and WAN routers are connected to both core 4507s. We have a Port-Group

Edge switch redundancy to two core switches

I want to provide best redundancy for an access switch (Cisco 3650) when connecting to two core switches (Cisco 9500 series), as show in attached



Solved: SWV design guidance: using 4 switches in 2 SWV domains as two

I understand that only two switches can make up a SWV cluster/stack. I am working on a design that needs to ensure 100% uptime. From my general networking experience as well as



Solved: DHCP Configuration in Core Switches

Solved: Dear Professionals I have two locations and both locations have Core Switches installed. Location names are factory-1 and factory-2. Both locations have DHCP configured in their



VTP and HSRP config on two core switches

hello Experts, Please help me regarding VTP Server config on 3560E. I have configure multiple vlans on both the core switches below is the example, my question is how will be my VTP

Solved: Link aggregation to 2 core switches

Hi guys, We're planning to purchase 2 x WS-C3750G-12S-E core switches and a WS-C2960G-48TC-L access switches. I'd like to know, is it





switch

@vidarlo question: if switch ports can be configured with link aggregation, how many ports can be configured as a logical port? For example,

Best practices when configuring an Access switch stack to Core

Only a few access switches connect to the Core stack to communicate with servers that connect to the core. It's setup differently than the way I learned but besides the point. With the upgrade, let's say I



CRS317: MLAG on "Core Switches" - Both Cores Using Same

Core 1 and Core 2 are configured with MLAG (Multi-Chassis Link Aggregation) to handle traffic balancing and redundancy. Each core is supposed to have its own unique bridge MAC address.

Solved: Re: When using 2 core switches for load balance, should I be

Are they not configured as part of a stack? If they are separate switches (not stacked) and one is made root, you will certainly not get load shared between them both.



Spanning Tree

Core switch has a couple more VLANs compared to non-core switches, but not the other way around. Not all non-core switches have the same

Re: HA Active Passive connected to 2 core

Both fortigate firewalls are connected to one core switch. I just received another core switch and would like to implement VRRP on both core switches and still work in Forti Active passive HA.




Re: Fortigate HA over two internal switches (two core setups)

You can configure HA (Active/Passive) on a FortiGate 70F or 80F using a VLAN over your core-switches. While this is less conventional than a direct connection, it's feasible provided the



Doubt about EAPS topology with 2 core switches

We have EAPS configured with 5 Control VLANs and one VoIP VLAN. When the uplinks between Core 1 and Core 2 (2 red cables, ports 29 and



Cisco CLI Switch Command Cheat Sheet for 2025

Here's the Cisco CLI Switch Command cheat sheet you need for

CRS317: MLAG on "Core Switches" - Both Cores Using Same

Hey all, I'm working on a setup with two core switches (Core 1 and Core 2) running MLAG for redundancy and load balancing, and I've hit a weird problem with STP and MAC




Welcome to the Fortinet Community!

Hier sollte eine Beschreibung angezeigt werden, diese Seite lässt dies jedoch nicht zu.



Internet connection to two core switches

Hi, I want to add some redundancy to my network by adding one more core switch. The problem is that I have only one internet connection. What is the best practice to have network access



How to configure redundant core switch in collapsed core? : r

The cores will only route to other access switches and shouldn't encounter issues with spanning tree if configured with routed ports instead of switch ports. If you configure OSPF or EIGRP, they will route

Solved: Firewall to 2 core switches

I'm asking because I recently deployed two firewalls and two cores and I configured the two switches with /30 vlan to the FW and HA. on the cores, I





Recommendations: Dual Core Switch for redundancy.

Hi Experts, May I ask for your recommendations for this kind of setup. Best practices and other routing and switching stuff. I have the following:
1 5520

Contact Us

For datasheets, pricing, or custom telecom energy solutions, please visit:
<https://koskolong.co.za>